



THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 09/940,489

Group Art Unit: 1744

Inventor(s): Bon et al.

Filed: 9/29/2001

Title: IN-LINE SYSTEM FOR OZONE SANITATION

Examiner: Monzer R. Chorbaji

NOTICE OF APPEAL FROM DECISION OF
PRIMARY EXAMINER TO THE BOARD OF APPEALS

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Applicant(s) hereby appeal(s) to the Board of Appeals from the
decision dated 12/16/2004 of the Primary Examiner finally
rejecting claims: 1-7.

The items checked below are appropriate:

- ☐ A Petition for Extension of Time to respond to the Final Rejection was
filed on _____ for _____ month(s).
- ☒ A Petition for Extension of Time to respond to the Final Rejection for
3 month(s) is attached hereto.
- ☒ Appeal Fee - \$500.00 Fee Code 119
- ☐ Not required (fee paid in prior appeal).
- ☒ Charge the Appeal fee to Deposit Account No. 16-2440.
One additional copy of this Notice is enclosed.
- ☒ Appeal Fee is included with the fee for the attached
Petition for Extension of Time.

Respectfully submitted,

Donald T. Black
Attorney for Applicant(s)
Registration No. 27999
Donald T. Black

Please send all correspondence to:

PRAXAIR, INC.
Law Department - M1-557
39 Old Ridgebury Road
Danbury, Connecticut 06810-5113

Local Telephone Contact:

Dated: June 15, 2005
Our Ref.: D-20946
Attorney's Telephone No. (203) 837-2669

06/17/2005 SZEWDIE1 00000005 09940489

01 FC:1253 1020.00 DA
02 FC:1401 500.00 DA